SUBJECT INDEX

Acoustic emission, p. 2019
Acrylic adhesive, p. 1628
Adapting structure, p. 800
Adhesion, p. 1514
Anisotropic coupling, p. 1132
Anisotropic elastic moduli, p. 885
Anisotropic yield strength, p. 885
Anisotropy, pp. 51, 282
Attachment lap, p. 190
Autoclave molding, p. 1436
Axial crushing, p. 947
Beam
  composite box beam, p. 1132
  curved beam, pp. 51, 1178
  laminated beam, p. 536
  L-beam, p. 51
Bearing strength, pp. 1284, 1359, 2042
Bending, pp. 536, 760, 1178
Bond strength, p. 864
Bond thickness, p. 1248
Buckling, pp. 503, 1958
Bypass loads, p. 1402
Capillary force, p. 1191
CFRP, pp. 1020, 1873
Characteristic curve, pp. 384, 820, 1596
Characteristic damage state, p. 384
Coating effects, p. 561
Combinatorial optimization, p. 1020
Complex moduli, p. 1042
Composite materials, pp. 2, 418, 441, 589, 627, 662, 947, 1436, 1647, 1710, 1732
Composites, pp. 231, 248, 603, 692, 722, 864, 918, 933, 966, 1088, 1191, 1210, 1494, 1514, 1748, 1823, 1873, 1958
  braided, p. 51
  carbon-carbon, pp. 785, 933
  carbon fiber, p. 109
  carbon fiber/epoxy, p. 1248
  carbon fiber/polyamide, p. 760
  carbon/nylon, p. 650
  ceramic matrix, p. 282
  CF/PA 6, p. 760
  commingled yarn, p. 760
  fiber, p. 1042
  fibrous, p. 406
  glass ceramic matrix, p. 864
  glass-epoxy, pp. 672, 692
  glass-graphite/epoxy, p. 1996
  glass mat thermoplastic, p. 1266
  laminated, pp. 51, 84, 589, 1284, 1359, 1402
  metal matrix, pp. 84, 561, 1670
  plain weave textile, p. 984
  polymer, pp. 2, 210, 309, 947, 1613
  pultruded, p. 1996
  rubber-matrix, p. 69
  solid-filled rubber, p. 69
  textile, pp. 51, 885, 1710
  three-dimensional braided, p. 885
  titanium matrix, p. 1858
  two-dimensional woven fabric, p. 1779
  unidirectional, pp. 672, 864, 1958
  viscoelastic, p. 1042
  woven, p. 164
  zirconia titanate, p. 748
Compression, pp. 454, 662, 1977
Compressive strength, pp. 627, 672, 1115, 1710, 1958
Computational modeling, p. 248
Constitutive model, p. 1647
Contour mapping, p. 692
Crashworthiness, pp. 947, 1977
Creep, pp. 1042, 1581
Crimp, p. 1210
Crush, pp. 947, 1977
Crystalline polyimides, p. 109
Cure monitoring, p. 1436
Curing, pp. 13, 627, 1436, 1628
CVD/CVI, p. 933
Damage, pp. 282, 309, 785, 1284, 1359
  accumulative, p. 1402
  bearing, p. 1402
  fatigue, p. 123
  interfacial, p. 84
Damping, pp. 918, 1628, 1996
Deformation, p. 1150
  high strain-rate, p. 248

SUBJECT INDEX

Acoustic emission, p. 2019
Acrylic adhesive, p. 1628
Adapting structure, p. 800
Adhesion, p. 1514
Anisotropic coupling, p. 1132
Anisotropic elastic moduli, p. 885
Anisotropic yield strength, p. 885
Anisotropy, pp. 51, 282
Attachment lap, p. 190
Autoclave molding, p. 1436
Axial crushing, p. 947
Beam
  composite box beam, p. 1132
  curved beam, pp. 51, 1178
  laminated beam, p. 536
  L-beam, p. 51
Bearing strength, pp. 1284, 1359, 2042
Bending, pp. 536, 760, 1178
Bond strength, p. 864
Bond thickness, p. 1248
Buckling, pp. 503, 1958
Bypass loads, p. 1402
Capillary force, p. 1191
CFRP, pp. 1020, 1873
Characteristic curve, pp. 384, 820, 1596
Characteristic damage state, p. 384
Coating effects, p. 561
Combinatorial optimization, p. 1020
Complex moduli, p. 1042
Composite materials, pp. 2, 418, 441, 589, 627, 662, 947, 1436, 1647, 1710, 1732
Composites, pp. 231, 248, 603, 692, 722, 864, 918, 933, 966, 1088, 1191, 1210, 1494, 1514, 1748, 1823, 1873, 1958
  braided, p. 51
  carbon-carbon, pp. 785, 933
  carbon fiber, p. 109
  carbon fiber/epoxy, p. 1248
  carbon fiber/polyamide, p. 760
  carbon/nylon, p. 650
  ceramic matrix, p. 282
  CF/PA 6, p. 760
  commingled yarn, p. 760
  fiber, p. 1042
  fibrous, p. 406
  glass ceramic matrix, p. 864
  glass-epoxy, pp. 672, 692
  glass-graphite/epoxy, p. 1996
  glass mat thermoplastic, p. 1266
  laminated, pp. 51, 84, 589, 1284, 1359, 1402
  metal matrix, pp. 84, 561, 1670
  plain weave textile, p. 984
  polymer, pp. 2, 210, 309, 947, 1613
  pultruded, p. 1996
  rubber-matrix, p. 69
  solid-filled rubber, p. 69
  textile, pp. 51, 885, 1710
  three-dimensional braided, p. 885
  titanium matrix, p. 1858
  two-dimensional woven fabric, p. 1779
  unidirectional, pp. 672, 864, 1958
  viscoelastic, p. 1042
  woven, p. 164
  zirconia titanate, p. 748
Compression, pp. 454, 662, 1977
Compressive strength, pp. 627, 672, 1115, 1710, 1958
Computational modeling, p. 248
Constitutive model, p. 1647
Contour mapping, p. 692
Crashworthiness, pp. 947, 1977
Creep, pp. 1042, 1581
Crimp, p. 1210
Crush, pp. 947, 1977
Crystalline polyimides, p. 109
Cure monitoring, p. 1436
Curing, pp. 13, 627, 1436, 1628
CVD/CVI, p. 933
Damage, pp. 282, 309, 785, 1284, 1359
  accumulative, p. 1402
  bearing, p. 1402
  fatigue, p. 123
  interfacial, p. 84
Damping, pp. 918, 1628, 1996
Deformation, p. 1150
  high strain-rate, p. 248

shear, pp. 1539, 1938
Delamination, pp. 190, 418, 441, 650, 1004, 1873, 1977
Dielectrometry, p. 1436
Differential scanning calorimetry, p. 1436
Diffusion, p. 1004
Displacement hypothesis, p. 1539
Dissipation factor, p. 1436
Dry spot, pp. 1458, 1475
Dynamic modulus, p. 1996
DZM (Damage Zone Model), p. 358
Edge effects, p. 839
Effective crack growth, pp. 142, 333
Effective flaw, p. 384
Effective moduli, p. 906
Elastic-plastic contact law, p. 1068
Elastic properties, p. 1732
Electrical heat sinks, p. 933
ELPO baking, p. 1628
Energy absorption, pp. 947, 1977
Energy release rate, p. 441
Environmental effects, pp. 210, 1562, 1581
Epoxy resin, pp. 35, 1514
Equivalent crack density, pp. 384, 820
Erosion, pp. 35, 1670
Fabric architecture, p. 1210
Failure, pp. 190, 358, 503, 966, 1088, 1210, 1748, 1779
  bearing, pp. 1284, 1359, 1596
  compressive, pp. 1150, 1912
  first-ply, p. 536
  net tension, p. 1596
  progressive, p. 536
  shear-out, pp. 358, 1402
  spalling, p. 722
  tension, p. 1402
  transverse shear, p. 1150
Failure criterion, pp. 142, 333, 536, 839
Failure modes, pp. 51, 984, 1088, 1977
Fatigue, pp. 123, 164, 785, 2019
Fiber coating, p. 1958
Fiber orientation, pp. 2, 947
Fiber re-entrant wedge, p. 672
Fiber reinforced material, pp. 603, 748
Fiber volume fraction, p. 2042
Fibers, pp. 35, 454, 672, 1115, 1613, 1958
  aligned, p. 2
  carbon, pp. 2, 35, 760
  glass, pp. 1004, 1514
  long, p. 1670
  nicalon, pp. 748, 864
  pitch, p. 933
  random, p. 966
Finite element analysis, pp. 190, 418, 536, 561, 933, 984, 1115, 1178, 1514, 1596
Flexure, p. 760
Flow, pp. 2, 1458, 1475
Foams, p. 190
  graphite, pp. 1922, 1938
  syntactic, p. 1873
Fracture, pp. 190, 309, 358, 650, 672, 760, 864, 1004, 1088, 1248, 1683, 1958
Fracture mechanics, pp. 384, 1314
Fracture mechanism, pp. 650, 760, 947, 2019
Fragmentation test, p. 1514
Free boundary effect, p. 984
Functionally gradient materials (FGM), p. 800
Glue-filler, p. 190
Graphite/epoxy, pp. 231, 536, 1494, 1977
GRP pipes, pp. 1562, 1581
Heat diffusion, p. 933
Heat transfer, pp. 231, 692
High temperature testing, p. 864
High thermal conductivity, p. 231
Homogenization, p. 1732
Hybrids, p. 1996
IITRI fixture, p. 164
Impact, pp. 441, 1266, 1494, 1873
Impulse-momentum principle, p. 1068
In-plane loads, p. 1338
In-plane shear modulus, p. 820
Interface, pp. 864, 1514, 1958
Interfacial debonding, pp. 561, 1514
Interfacial shear strength, p. 1514
Interfacial strength, p. 35
Interlaminar shear, p. 785
Interlaminar strains/stresses, pp. 906, 1004, 1539
Interlaminar tension, p. 1178
Interphase, p. 309
Interstrand gap, p. 1823
Invariant, p. 906
Isostrain/isostress models, p. 885
J-integral toughness, p. 1858
Joints

(continued)

Subject Index *(continued)*
adhesive, p. 1248
bolted, p. 358
bolted composite, pp. 1284, 1359, 1402
mechanically fastened, p. 1596
pin, p. 839
sandwich T-, p. 190
Kink band propagation, p. 672
Kriging, p. 1088
Laminate configuration, pp. 1748, 1779
Laminate theories, pp. 820, 1210, 1539
Laminated steel, p. 1628
Laminates, pp. 190, 1020, 1088, 1748
angle-ply, p. 650
composite, pp. 123, 1314, 1338, 1873
cracked fiber-reinforced angle-ply composite, p. 1314
cross-ply, pp. 820, 1683
multidirectional, p. 1338
notched composite, pp. 142, 333
quasi-isotropic, p. 1596
symmetric, pp. 906, 1338
thick, p. 627
unsymmetric, p. 603
Laser interferometer, p. 722
Laser spallation, p. 722
Layer nesting, p. 1710
Layer waviness, p. 627
Layer-wise theory, pp. 536, 1539
Lifetime prediction, p. 1581
Liquid composite molding, p. 1475
Load bearing capacity, p. 1338
Load-displacement path, p. 536
Loading
equivalent applied, p. 384
mixed mode, p. 1858
multiaxial, p. 84
shock, p. 722
tensile, pp. 1748, 1779
uniaxial tensile, pp. 1748, 1779
Loss factor, pp. 918, 1996
Macroelements, p. 984
Mass, pp. 1922, 1938
Material degradation, p. 536
Material nonlinearity, p. 839
Matrix
anisotropic, p. 933
ceramic, p. 864
epoxy, p. 1596
fiber, pp. 672, 864
polymer, p. 1514
Matrix crack, pp. 51, 384, 418, 486, 820, 1150, 1683
Matrix partition, p. 1647
Matrix plasticity, pp. 84, 1514
Matrix re-entrant wedge, p. 672
Mean-field theory, p. 69
Mechanical behavior, p. 1562
Mechanical properties, pp. 109, 800, 864, 1613
Mechanical testing, p. 627
Metallography, p. 84
Microbuckling, pp. 1115, 1912
Microcracking, p. 282
Microcracks, p. 785
Microflow, p. 1191
Micromechanics, pp. 248, 309, 561, 1732, 1958
Microstructural characterization, p. 785
Modal strain energy, p. 1996
Modulus of elasticity, p. 2
Mold filling, p. 1458
Mold temperature, p. 1266
Momentum balance method, p. 1068
Monotonic tests, p. 1562
Net tension, p. 358
Nondestructive evaluation, p. 722
Nonlinear elasticity, p. 248
Nonlinear equations, p. 603
Nonlinear matrix behavior, p. 1115
Nonlinear stretch parameter, p. 69
Normal stress distribution, p. 589
Notch direction, p. 760
Notched strength, p. 2042
Numerical analysis, pp. 190, 692, 1596
Object-oriented approach, p. 1020
Oxidation, p. 864
Oxygen partial pressure, p. 210
Parabolic assumption, p. 906
Phenylethynyl terminated imide oligomer, p. 109
Plain weave fabric, pp. 1670, 1748, 1779, 1823
Plastics
fiber reinforced, p. 35
glass fiber reinforced, p. 2019
glass reinforced, p. 190
unidirectional carbon fiber reinforced, p. 1150
Plates, pp. 441, 1020, 1539

Ply angles, p. 1338
Ply discount value, p. 820
Point stress criterion, p. 1596
Poisson's ratio, p. 820
Polyamide 6, p. 760
Polyimides, p. 109
Polymer yield strength, p. 1514
Polymers, pp. 13, 190, 406, 1613
Polypropylene, p. 1004
Preform, p. 1210
Prestress, pp. 406, 486
Probabilistic-analytical method, p. 384
Probabilistic modeling, p. 123
Process modeling, pp. 13, 627
Processing, pp. 13, 627, 1266
Pultrusion, pp. 692, 918, 1996
Punch, p. 1494
PVC-core, p. 190
Quarter cell, p. 1210
Radial distribution function, p. 748
Rate-dependent, p. 1494
Representative volume model, p. 1732
Residual compressive strength, p. 164
Residual strength, pp. 142, 333
Resin transfer molding (RTM), pp. 1191, 1210, 1458, 1475
Rheology, p. 1613
Rods, p. 918
Rubber-modified epoxy, p. 1248
Sandwich, pp. 190, 1873, 1938
Saturation crack density, pp. 384, 820
Secant moduli, p. 69
Sensitivity analysis, p. 1115
Shear, p. 1494
Shear correction factor, p. 1132
Shear lag, pp. 164, 384, 820
Shear modulus, p. 1958
Silicon carbide, p. 864
Single filament fragmentation, p. 1514
Smart structure, p. 800
Stacking sequence, pp. 906, 1020
Stamping, p. 1266
Stick-slip behavior, p. 650
Stiffness, p. 1020
  effective, p. 503
  equivalent residual, p. 820
  residual, p. 123
Stiffness critical, pp. 1922, 1938
Stiffness degradation, pp. 123, 820
Strain energy release rate, pp. 760, 1248
Strand thickness/width, p. 1823
Strength envelope, p. 1402
Strength model, p. 1779
Strength prediction, pp. 358, 1115, 1596
Stress, pp. 672, 839, 1539, 1596
  cohesive, pp. 142, 333
  maximum interfacial, p. 1514
  mean crush, p. 947
  plateau interfacial, p. 1514
  residual, pp. 13, 406, 603, 1266
  thermal, p. 486
Stress concentration factor, p. 589
Stress intensity factors, pp. 672, 2042
Stress norm, pp. 1314, 1338
Stress-strain behavior, p. 966
Stress transfer model, p. 1514
Structural elements, p. 1922
Superposition technique, p. 1539
Surface tension, p. 1191
System loss factor, p. 1628
Tape equivalents, p. 589
Tensile strength, p. 1823
Tensile testing, p. 864
Thermal aging, p. 1628
Thermal conductivity, pp. 231, 933
Thermal expansion, p. 603
Thermal expansion coefficient, p. 164
Thermal modeling, p. 692
Thermoelastic properties, p. 1683
Thermo-oxidative stability, p. 210
Thermoplastic, p. 650
Thermoviscoplasticity, p. 1647
Thickness, pp. 1922, 1938
Through-the-thickness strength, p. 51
Torsion, p. 918
Tow crack, p. 51
Tow impregnation, p. 1191
Transverse shear, p. 1494
Transverse tensile strength, pp. 722, 1004
Transverse tension, p. 561
Triaxial braids, pp. 51, 589
Tubes, p. 947
Tubular specimens, p. 84
Ultimate displacement, p. 536
Ultimate load, p. 536
Ultimate strain, p. 2
Ultimate tensile strength, p. 2
Ultrasonic methods, p. 906
Ultrasonic NDE, p. 282

(continued)

Subject Index *(continued)*
Undulations, pp. 1210, 1710
Unmixing-mixing, p. 1647
Variational model, p. 1514
Vickers micro-indentation, p. 210
Viscosity ratio, p. 1613
Voids, pp. 627, 933
Warpage, pp. 486, 603
Waviness, p. 454
Waviness ratio, p. 984
Weave geometry, pp. 1748, 1823
Weber number, p. 1613
Weighted average model, p. 885
Whisker, p. 1670
Woven fabric, pp. 1710, 1748, 1779, 1823
Young's modulus, p. 820
Zigzag theory, p. 1539

AUTHOR INDEX

Abusafieh, A., p. 885
Adams, D. O'H., p. 1710
Addessio, F. L., p. 248
Adolf, D., p. 13
Adolfsson, E., p. 1683
Advani, S. G., p. 933
Afaghi-Khatibi, A., pp. 142, 333
Aidun, J. B., p. 248
Allen, H. G., p. 51
Amada, S., p. 800
Anand, K., p. 722
Anglin, C., p. 589
Arafat, E. S., p. 692
Avva, V. S., p. 51
Baer, E., p. 1912
Balacó de Morais, A., p. 1115
Barbero, E. J., p. 536
Barboni, R., p. 1873
Baste, S., p. 282
Bennett, J. G., p. 1732
Breiling, K. B., p. 1710
Briotti, G., p. 1873
Cantwell, W. J., p. 1266
Carlsson, L. A., p. 1004
Carman, G. P., pp. 164, 1958
Carpenter, S., p. 2019
Case, S., p. 1958
Chachad, Y. R., p. 692
Chang, F.-K., pp. 1284, 1359, 1402
Chaudhuri, R. A., p. 672
Chen, C.-H., p. 69
Chen, F., p. 1514
Chen, H.-J., pp. 503, 906
Cheng, C.-H., p. 69
Choi, N. S., p. 760
Choi, S. T., p. 123
Christoforou, A. P., p. 1068
Chung, I., p. 662
Daghyani, H. R., p. 1248
Davalos, J. F., p. 536
Davies, P., p. 1004
Dillard, D. A., p. 210
Echaabi, J., p. 1088
El Bouazzaoui, R., p. 282
Eskandari, S., p. 1958
Everett, R. K., p. 748
Falzon, P. J., p. 1210
Fleming, D. C., p. 1977
Fridrich, R. J., p. 1628
Funakura, S., p. 1670
Ganesh, V. K., pp. 1748, 1779, 1823
Garala, H. J., p. 672
Gaskin, D., p. 589
Ghorbel, I., p. 1562, 1581
Gorius, A., p. 1912
Graham, A. L., p. 2
Guell, D. C., p. 2
Gupta, V., p. 722
Haberman, K. S., p. 1732
Hager, J. W., p. 1922
Hall, R. B., pp. 1922, 1938
Hamada, H., pp. 947, 1596
Hamao, T., p. 35
Han, K., p. 1458, 1475
Haruna, K., p. 1596
Herakovich, C. T., p. 84
Hergenrother, P. M., p. 109
Herszberg, I., p. 1210
Hiltner, A., p. 1912
Hirako, Y., p. 650
Hirth, J. P., p. 1858
Hollmann, K., p. 358

Hou, T. H., p. 109
Hung, C.-L., pp. 1284, 1359, 1402
Iannone, M., p. 1873
Ichikawa, Y., p. 800
Ishii, H., p. 650
Jensen, B. J., p. 109
Jones, F. R., p. 1514
Jung, S. N., p. 1132
Kahraman, R., p. 864
Kalidindi, S. R., p. 885
Kamat, S. V., p. 1858
Karayaka, M., p. 1150
Karbhari, V. M., p. 1210
Karihaloo, B. L., pp. 1314, 1338
Keren, D., p. 486
Khashaba, U. A., p. 2042
Kim, C., p. 627
Kim, J. S., p. 1436
Kim, S. J., pp. 1132, 1647
Kim, Y., p. 536
Kirigai, A., p. 800
Kishi, T., p. 2019
Koehler, R. T., p. 486
Kominar, V., p. 406
Krach, A., p. 933
Kumar, S. S., p. 918
Lee, D. G., p. 1436
Lee, L. J., pp. 123, 1458, 1475
Lerch, B. A., p. 84
Lesko, J. J., pp. 210, 309
Lessard, L. B., p. 839
Li, D. S., p. 561
Li, J., p. 1042
Li, X., p. 1539
Lissenden, C. J., p. 84
Liu, D., p. 1539
Luesse, M. H., p. 231
Maekawa, Z.-I., p. 1596
Magee, T. C., p. 231
Mai, Y.-W., pp. 142, 333, 1248
Majima, O., p. 441
Mandell, J. F., p. 864
Mantena, P. R., pp. 918, 1996
Marcone, A., p. 1873
Martin, J. E., p. 13
McCarty, T. A., p. 1996
Miki, M., p. 1020
Mitrovic, M., p. 164
Miyazaki, N., pp. 35, 1670
Moan, T., p. 190
Moosbrugger, J. C., p. 785
Mueller, C., p. 1912
Munekata, T., p. 800
Nagase, Y., p. 800
Naik, N. K., pp. 1748, 1779, 1823
Nakamura, S., p. 1475
Nazarenko, S., p. 1912
Nemes, J. A., p. 1494
Nori, C. V., p. 1996
Norman, T. L., p. 589
O'Brien, T. K., p. 418
Paluch, B., p. 454
Parvatareddy, H., p. 210
Patrick, M., p. 589
Peeters, L. J. B., p. 603
Pomies, F., p. 1004
Powell, P. C., p. 603
Pronin, A., p. 722
Ramakrishna, S., p. 947
Reifsnider, K. L., pp. 210, 309
Riendeau, S., p. 1494
Roberts, J. C., p. 231
Roux, J. A., p. 692
Salpekar, S. A., p. 418
Sano, K., p. 650
Sasada, N., p. 1020
Sato, H., p. 947
Scarponi, C., p. 1873
Sehitoglu, H., p. 1150
Shafi, A., p. 1475
Shi, F. F., p. 1613
Shin, E.-S., p. 1647
Shivakumar, K. N., pp. 51, 418
Shiwa, M., p. 2019
Shokrieh, M. M., p. 839
Sikarskie, D. L., p. 966
Spiteri, P., p. 1562
Stinchcomb, W. W., p. 309
Subramanian, S., p. 309
Suemasu, H., p. 441
Takahashi, K., p. 760
Theotokoglou, E. E., p. 190
Todoroki, A., p. 1020
Tohgo, K., p. 650
Tripathi, D., p. 1514
Trochu, F., p. 1088
Tsai, S. W., pp. 503, 906
Tuttle, M. E., p. 486
Vaughan, J. G., p. 692

(continued)

Author Index *(continued)*
Vizzini, A. J., p. 1977
Wang, H.-S., p. 1284
Wang, J., pp. 1314, 1338
Wang, J. Z., p. 210
Wang, P. C., p. 1628
Warnet, L., p. 603
Weitsman, Y. J., p. 662
Weng, G. J., p. 1042
Whitcomb, J. D., p. 984
White, D., p. 1675
White, S. R., p. 627
Williams, J. C., p. 785
Wisnom, M. R., pp. 561, 1178
Woo, K., p. 984
Wu, W.-F., p. 123
Xie, M., p. 672
Xu, L.-Y., pp. 384, 820
Yamaguchi, H., p. 760
Ye, L., pp. 142, 333, 1248
Yigit, A. S., p. 1068
Yoon, K. W., p. 1132
Young, W.-B., p. 1191
Yurgartis, S. W., p. 785
Zhang, Y., p. 966
Zhifei, Y., p. 800
Zok, F. W., p. 1858